ADDITIONAL OFFERINGS





EMSCULPT^{®®}





Semaglutide Weight Loss

760-636-4567

72780 Country Club Drive, Suite 400, Rancho Mirage, CA 92270

info@precision-wellness.com

precision-wellness.com

Semaglutide for Weight Loss FAQs

Q. What is Semaglutide for weight loss? Semaglutide is a prescription medication approved for weight management in adults.

Q. How does Semaglutide for weight

loss work? Semaglutide works by mimicking the action of a hormone called GLP-1, which regulates appetite and food intake. By activating GLP-1 receptors, Semaglutide helps reduce appetite, leading to decreased calorie consumption and weight loss.

Q. How is Semaglutide for weight loss administered? Semaglutide for weight loss is typically administered as a subcutaneous injection (under the skin). It comes in a vial and requires the correct dose to be extracted for weekly self-injections.

Q. Can I self-inject Semaglutide for weight loss with a needle-affixed syringe from a vial? Yes, Semaglutide for weight loss can be self-injected using a needle-affixed syringe from a vial. Please see SELF-INJECTION INSTRUCTION GUIDE.

Q. How often should Semaglutide for weight loss be injected? The

recommended dosage of Semaglutide for weight loss is ONE time per WEEK, Please see SELF-INJECTION INSTRUCTION GUIDE for specific dosing requirements.

Q. What are the common side effects of Semaglutide for weight loss?

Common side effects may include nausea, vomiting, diarrhea, constipation, abdominal pain, and decreased appetite.

Q. Is Semaglutide for weight loss safe for everyone? Semaglutide for weight loss may not be suitable for everyone, especially those with a history of pancreatitis or certain other medical conditions. Before starting Semaglutide, inform your healthcare provider about any medical conditions you have and any medications you are taking.

> Semaglutide needs to be refrigerated and expires after 180 days.

SELF-INJECTION INSTRUCTION GUIDE

- Prepare the Injection Site: Choose an area on your abdomen (around the belly button) and clean with an alcohol pad. (alternate sides of the abdomen each). Avoid areas with scars, moles, tatoos or bruises.
- 2. Wash Your Hands: Thoroughly wash your hands with soap and water, then dry them with a clean towel.
- 3. **Prepare the Injection:** Remove the cap from the vial of Semaglutide. Clean the rubber stopper of the vial with an alcohol swab and let it dry.
- 4. **Draw the Medication:** Hold the syringe upright and pull back on the plunger to draw the prescribed dose of Semaglutide into the syringe. Check for air bubbles and gently tap the syringe to remove them.
- 5. **Inject the Medication:** Pinch a fold of skin at cleaned injection site. Insert the needle into the pinched skin at a 90degree angle. Slowly push the plunger all the way down to inject the medication.
- 6. **Remove the Needle:** Once the injection is complete, remove the needle. Do not rub the injection site.
- 7. **Dispose of the Syringe:** Safely dispose of the used syringe in a puncture-resistant container. DO NOT REUSE SYRINGES.
- 8. **Observe for Reactions:** Monitor the injection site for any signs of irritation, redness, or swelling.
- 9. **Record the Injection:** Keep track of your injections on the INJECTION RECORD including the date and dose administered.

Always follow your healthcare provider's instructions for self-injection of Semaglutide and consult them if you have any questions or concerns.